

SFA Companies

Professional Catalog

OMEGALIFT™
EQUIPMENT



**HEIN-WERNER
AUTOMOTIVE**

Porto-Power
BLACKHAWK AUTOMOTIVE



OMEGA
Pro



**Pro-Lift
HD**


Pro-Lift

BANNER
BLACKHAWK AUTOMOTIVE

THE BONE

TABLE OF CONTENTS

MASTER CATALOG



» p.4

4 OMEGA LIFT EQUIPMENT

Omega Lift Equipment is SFA's premier import line of commercial quality lifting and shop equipment. The equipment is designed with patented, unique features and offers ease of usability and durability. With current ASME/PASE safety standards in mind when creating these products Omega Lift Equipment offers affordable, Dependable, Quality product to the commercial market place. All Omega Lift Equipment offers a one year manufacturer warranty, please see warranty section for added information.

44 OMEGA PRO

Omega Pro feature unique tools and equipment to help fulfill your shops needs. Air Tools, Tool Carts, etc available to help meet all product needs within a shop. All Omega Pro Equipment offers a one year manufacturer warranty, please see warranty section for added information.



» p.44



» p.50

50 HEIN-WERNER AUTOMOTIVE

Hein-Werner Automotive line has stood for quality, durability, performance and incorporation of US Manufacturing for decades. TAA / BAA Compliance as well as National Stock Numbers has made this lift equipment line a staple of GSA contracts for many generations. All Hein-Werner Automotive equipment strives to adhere to current ASME/PASE safety regulations. All Hein-Werner Automotive Equipment products carries a two year manufacturer's warranty, please see warranty section for added information.

76 BLACKHAWK AUTOMOTIVE PLATINUM SERIES

Blackhawk Automotive Platinum Series offers high end, heavy duty equipment focused on longevity and ease of use. Product line is TAA compliant with manufacturing in Taiwan. All Blackhawk Automotive Platinum Series equipment strives to adhere to current ASME/PASE safety regulations. All Blackhawk Automotive offers up to a 5 year manufacturer warranty, please see warranty section for added information.

80 BLACKHAWK AUTOMOTIVE

Blackhawk Automotive offers alternative options of an import line of commercial quality lifting and shop equipment. The equipment is designed with patented, unique features and offers ease of usability and durability. With current ASME/PASE safety standards in mind when creating these products Blackhawk Automotive offers Affordable, Dependable, Quality product to the commercial market place. All Blackhawk Automotive offers a one year manufacturer warranty, please see warranty section for added information.



» p.76



» p.80

96 BANNER

Banner by Blackhawk Automotive offers safe, cost effective alternatives for commercial and/or home users. All Banner equipment meets ASME/PASE 2014 safety regulations. All Banner equipment offers a one year manufacturer warranty; please see warranty section for added information.

100 PORTO-POWER

Porto-Power is the leading name in the automotive repair industry for body repair and hydraulic tools. Porto-Power's reputation is based on years of dependability, innovation and industry leading quality on a wide variety of body repair and frame straightening equipment.

114 BONE CREEPER™

Bone Creeper line is 100% made in the USA and has stood for quality and durability for well over 20 years. Strong, resilient the easiest maneuverability of any creeper in the market has made the Bone Creeper a mechanic's choice for over two decades. All Bone Creepers offers a one year manufacturer warranty on the board and casters, LIFETIME warranty on wheels; please see warranty section for added information.

118 PRO-LIFT HD

Pro-Lift HD products focus on the repair of outdoor equipment specifically towards ATV, UTV and Snowmobiles. Consumer and Professional grade lifts available to fit the need of all enthusiasts in this market place. All Pro-Lift HD equipment offers a one year manufacturer warranty; please see warranty section for added information.

122 PRO-LIFT


Pro-Lift products have consistently led the industry in quality and innovation. Designed after professional grade equipment standards, Pro-Lift equipment strive to meet current ASME/PASE safety standards and is kept under close quality control standards from factory to your home. Our patented products provide a unique twist to your garage maintenance needs. All Pro-Lift equipment offers a one year manufacturer warranty; please see warranty section for added information.




» p.96



» p.100



» p.114



» p.118



» p.122



OMEGALIFT™ EQUIPMENT

Chapter Table of Contents

6-7	Side Pump Bottle Jacks	28	Floor Style Transmission Jacks
7	Low Profile Side Pump Bottle Jacks	29	Clutch Jack
8	Toe Jacks	30	Engine Stand
8	External Spring Return Air Bottle Jacks	30	Rotating Head Engine Stand
9	In-Line Bottle Jacks	31	Engine Crane and Accessories
9	In-Line Low Profile Bottle Jacks	32	Long Jacks
10	Air/Manual Hydraulic Bottle Jacks	33	Wheel Dollies
11	High Tonnage Air/Manual Hydraulic Bottle Jack	33	Car Dolly
12	Magic Lift™ Service Jacks	33	Break Drum Handler
13	Low Profile Magic Lift™ Service Jacks	34	Body Repair Kits
14	Aluminum Hybrid Service Jacks	35	Treadle Pumps
15-17	Long Chassis Service Jacks	35	Low Profile Cylinder Kit
15-17	Air Hydraulic Long Chassis Service Jacks	36	Bead Breaker
18	Magic Lift™ Jack Stands	36	Bead Breaker Combo
19	Standard Ratchet Style Jack Stands	36	Forklift Jack
20	Dual Locking Jack Stands	36	Oil Drain
21	High Lift Jack Stands	37	Truck Ramps
21	Forklift Jack Stands	37	Rolling Service Tray
22	Auxiliary High Reach Stands	38-39	Shop Presses and Accessories
22	Air Jack with Support Stand	40	2-in-1 Z-Creeper
23	Axle Jack	40	3-in-1 Low-Profile Z-Creeper
23	Low-Profile Axle Jack	41	Plastic Molded Creepers
23	Air Return Axle Jack	42	Low-Profile Creeper
24	Axle Jack/Air Impact Wrench Combo	42	2-in-1 Shop Seat/Stepping Stool
24	2 Stage Axle Jack	42	Toolbox Show Seat
25	High Tonnage Axle Jacks	43	Wheel Arm™
26-27	Telescopic Transmission Jacks		

Omega Lift Equipment is SFA's premier import line of commercial quality lifting and shop equipment. The equipment is designed with patented, unique features and offers ease of usability and durability. With current ASME/PASE safety standards in mind when creating these products Omega Lift Equipment offers affordable, Dependable, Quality product to the commercial market place. All Omega Lift Equipment offers a one year manufacturer warranty, please see warranty section for added information.

This photo is for marketing purposes only and does not directly reflect on how products should be used. Please refer to your products Owners Manuals for suggested uses.

BOTTLE JACKS

Side Pump Bottle Jacks



Model	Description	Height (Min / Max)		Hydraulic Lifting	Screw Height	Base Size (L x W)		Weight
10025B	2 Ton Bottle Jack	7.25"	14.25"	4.50"	2.25"	3.88"	3.63"	7.00 lbs
10045B	4 Ton Bottle Jack	8.00"	16.00"	5.38"	2.50"	4.25"	4.00"	9.00 lbs
10065B	6 Ton Bottle Jack	8.75"	17.50"	5.75"	3.13"	4.50"	4.13"	12.00 lbs
10085B	8 Ton Bottle Jack	8.88"	17.63"	6.00"	2.75"	4.75"	4.63"	14.00 lbs
10125B	12 Ton Bottle Jack	9.50"	15.63"	6.00"	3.13"	6.00"	5.38"	18.00 lbs

* 10085B and 10125B are the only standard bottle jacks that have carry handles.

BOTTLE JACKS

Side Pump Bottle Jacks




Low Profile Side Pump Bottle Jacks

Model	Description	Height (Min / Max)		Hydraulic Lifting	Screw Height	Base Size (L x W)		Weight
10205B	20 Ton Bottle Jack	9.75"	18.50"	5.50"	3.00"	6.38"	6.00"	28.00 lbs
10300	30 Ton Bottle Jack	11.00"	18.00"	7.00"	-	8.13"	6.88"	56.00 lbs
10500	50 Ton Bottle Jack	9.50"	13.88"	4.38"	-	10.75"	7.63"	103.50 lbs
10129B	12 Ton Shorty Bottle Jack	6.50"	11.00"	3.00"	1.50"	5.00"	5.38"	14.00 lbs
10209B	20 Ton Shorty Bottle Jack	6.63"	11.50"	3.00"	1.75"	6.00"	6.50"	21.00 lbs

AIR BOTTLE JACKS & TOE JACKS

Toe Jacks



External Spring Return Air Bottle Jacks



Model	Description	Height (Min / Max)		Hydraulic Lifting	Base Size (L x W)		Weight
13120	6 Ton Toe Jack	0.88"	15.63"	5.13"	11.00"	7.50"	57.50 lbs
13200	10 Ton Toe Jack	1.00"	16.00"	5.00"	11.75"	9.00"	87.00 lbs
18126C	12 Ton Spring Return Air Hyd Bottle Jack	9.63"	18.50"	5.50"	8.00"	5.25"	27.00 lbs
18206C	20 Ton Spring Return Air Hyd Bottle Jack	9.75"	19.00"	5.88"	9.00"	7.00"	37.00 lbs

IN-LINE BOTTLE JACKS

In-Line Bottle Jacks



Jack Pad



In-Line Low Profile Bottle Jacks



Model	Description	Height (Min / Max)		Hydraulic Lifting	Screw Height	Base Size (L x W)		Weight
10120	12 Ton In-Line Jack	9.25"	18.63"	6.13"	3.13"	7.00"	4.25"	19.50 lbs
10200	20 Ton In-Line Jack	9.50"	18.63"	6.00"	3.25"	7.75"	5.13"	27.00 lbs
10208	20 Ton In-Line Shorty Jack	6.50"	11.25"	3.25"	1.50"	7.38"	5.00"	21.00 lbs
90020	20 Ton Jack Pad	12" Length x 12" Width x 1" Height						5.00 lbs

* Excluding: 90020

AIR/MANUAL BOTTLE JACKS

12 Ton Air/Manual Bottle Jack



High Speed Air
Turbo Motor
Pat. 6,012,377

20 Ton Air/Manual Bottle Jack



20 Ton Low Profile Air/ Manual Bottle Jack



Extra Large
Base



Model	Description	Height (Min / Max)		Hydraulic Lifting	Screw Height	Base Size (L x W)		Weight
18124C	12 Ton Air Actuated Bottle Jack	9.50"	18.25"	5.50	3.25"	7.88"	6.25"	26.00 lbs
18204C	20 Ton Air Actuated Bottle Jack	10.00"	18.75"	4.88"	3.88"	8.50"	7.13"	34.00 lbs
18209	20 Ton Air Actuated Bottle Jack	8.00"	15.50"	4.13"	3.25"	8.50"	7.25"	36.74 lbs

HIGH TONNAGE AIR/ MANUAL BOTTLE JACKS

30 Ton Air/Manual Bottle Jack



50 Ton Air Bottle Jack



100 Ton Air Bottle Jack



Model	Description	Height (Min / Max)		Hydraulic Lifting	Base Size (L x W)		Weight
18302C	30 Ton High Tonnage Air/Hyd Bottle Jack	11.00"	18.00"	7.25"	10.25"	7.25"	63.00 lbs
18502	50 Ton High Tonnage Air/Hyd Bottle Jack	12.13"	19.00"	6.88"	10.50"	7.38"	134.50 lbs
18992	100 Ton High Tonnage Air/Hyd Bottle Jack	11.88"	17.88"	6.00"	12.75"	9.38"	220.50 lbs

SERVICE JACKS


2.5 Ton Magic Lift™ Service Jack Combo



3.5 Ton Magic Lift™ Service Jack



3.5 Ton Magic Lift™ Service Jack



3.5 Ton Magic Lift™ Service Jack w/ One-Piece Handle



Model	Description	Height (Min / Max)		Handle Length	Saddle Dia	Jack Size (L x W x H)			Weight
25055	2.5 Ton Service Jack Combo	3.50"	20.00"	45.50"	4.25"	26.50"	13.25"	6.13"	70.00 lbs
27035	3.5 Ton Magic Lift™ Service Jack	4.00"	21.63"	49.88"	4.75"	30.88"	14.88"	7.25"	106.50 lbs
27036	3.5 Ton Magic Lift™ Service Jack w/ One-Piece Handle	4.00"	21.63"	49.88"	4.75"	30.88"	14.88"	7.25"	106.50 lbs
29037	3.5 Ton Magic Lift™ Service Jack	5.13"	22.13"	52.25"	4.38"	28.50"	13.50"	6.90"	89.10 lbs
29037CAMO	3.5 Ton Magic Lift™ Service Jack	5.13"	22.13"	52.25"	4.38"	28.50"	13.50"	6.90"	89.10 lbs
Model	Description			Height (Min / Max)	Saddle Dia	Jack Size (L x W x H)			Weight
25055	2.5 Ton Service Jack Combo	Jack Stands:	11.75"	17.25"	3.25"	1.38"	7.75"	6.63"	14.00 lbs

LOW-PROFILE SERVICE JACKS

2.5 Ton Low Profile Magic Lift™ Jack



3 Ton Low Profile Magic Lift™ Jack



3.5 Ton Low Profile Magic Lift™ Jack



Model	Description	Height (Min / Max)	Handle Length	Saddle Dia	Jack Size (L x W x H)	Weight
29023B	2.5 Ton Low Profile Magic™ Lift Jack	3.00"	20.75"	52.25"	5.00" 40.50" 13.50" 6.75"	123.20 lbs
29033	3 Ton Low Profile Magic Lift™ Jack	3.88"	21.00"	50.00"	4.38" 27.50" 15.00" 5.00"	91.00 lbs
29038	3.5 Ton Low Profile Magic Lift™ Jack	4.00"	21.00"	52.25"	4.38" 29.00" 13.38" 6.75"	85.80 lbs

* Excluding: 29023B

ALUMINUM/HYBRID SERVICE JACKS

1.5 Ton Aluminum/ Hybrid Service Jack

Foam Protector

Low Pickup Height

3 Ton Aluminum Service Jack

Anti-Slip Release Handle
Pat. 7,036,797

26030

Aluminum Structure

3 Ton Aluminum/ Hybrid Service Jack

26033

26017

Side Frame Handles

LONG CHASSIS SERVICE JACKS

5 Ton Air/Hyd Long Chassis Service Jack

Quick Lifting Foot Pedal*

22051C

5 Ton Long Chassis Service Jack

22050C

5 Ton Long Chassis Magic Lift™ Service Jack

Internal By-Pass Mechanism
Pat. 5,946,912

Innovative Magic Lift™ Design
Pat. 5,755,099

Heavy Gauge Steel Frame

25057

Model	Description	Height (Min / Max)		Handle Length	Saddle Dia	Jack Size (L x W x H)			Weight
26017	1.5 Ton Aluminum/Hybrid Service Jack	3.50"	14.00"	37.50"	3.88"	19.00"	9.75"	4.63"	37.50 lbs
26030	3 Ton Aluminum Service Jack	4.00"	18.13"	47.75"	4.50"	26.00"	13.25"	6.25"	63.80 lbs
26033	3 Ton Aluminum/Hybrid Service Jack	4.00"	19.00"	47.75"	4.50"	19.00"	13.00"	6.50"	70.48 lbs

Model	Description	Height (Min / Max)		Handle Length	Saddle Dia	Jack Size (L x W x H)			Weight
22050C	5 Ton Long Chassis Jack	7.25"	27.25"	46.00"	6.50"	55.50"	18.00"	8.00"	259.00 lbs
22051C	5 Ton Air/Hyd Long Chassis Jack	7.00"	27.00"	47.25"	5.88"	56.50"	18.25"	8.00"	248.00 lbs
25057	5 Ton Magic Lift™ Long Chassis Jack	6.38"	21.50"	47.25"	5.88"	52.25"	18.38"	7.25"	205.00 lbs

* Foot pedal is used to quickly get the saddle to lift point. The foot pedal is not designed to lift the load.

LONG CHASSIS SERVICE JACKS

10 Ton Long Chassis Service Jack



10 Ton Long Chassis Air/Hyd Service Jack



10 Ton Long Chassis Magic Lift™ Service Jack



Model	Description	Height (Min / Max)		Handle Length	Saddle Dia	Jack Size (L x W x H)			Weight
22100C	10 Ton Long Chassis Jack	6.88"	27.50"	43.00"	7.25"	57.75"	20.00"	10.00"	427.00 lbs
22101C	10 Ton Air/Hyd Long Chassis Jack	6.75"	27.25"	47.25"	7.25"	55.00"	19.00"	10.00"	431.64 lbs
25107	10 Ton Magic Lift™ Long Chassis Jack	7.13"	27.00"	45.25"	6.00"	51.50"	19.00"	9.50"	346.72 lbs

LONG CHASSIS SERVICE JACKS

20 Ton Air/Hyd Long Chassis Service Jack



20 Ton Air/Hyd Long Chassis Service Jack





Model	Description	Height (Min / Max)		Handle Length	Saddle Dia	Jack Size (L x W x H)			Weight
22201	20 Ton Air/Hyd Long Chassis Jack	7.50"	26.00"	48.50"	6.00"	58.50"	20.38"	12.00"	543.00 lbs
22203	20 Ton Air/Hyd Long Chassis Jack	13.25"	39.50"	50.00"	6.00"	70.75"	21.00"	14.50"	674.00 lbs


* Foot pedal is used to quickly get the saddle to lift point. The foot pedal is not designed to lift the load.

MAGIC LIFT™ JACK
STANDS

STANDARD RATCHET
STYLE JACK STANDS



Model	Description	Height (Min / Max)		Saddle Size (L x H)		Dimension (L x W)		Weight (Pair)
32066*	6 Ton Magic Lift™ Jack Stands	15.75"	25.00"	4.25"	1.13"	11.00"	10.00"	33.51 lbs
32126*	12 Ton Magic Lift™ Jack Stands	19.75"	30.38"	4.50"	1.75"	14.75"	12.75"	77.16 lbs




Model	Description	Height (Min / Max)		Saddle Size (L x H)		Dimension (L x W)		Weight (Pair)
32035B	3 Ton Jack Stands	11.75"	17.25"	3.25"	1.38"	7.75"	6.75"	15.84 lbs
32065B	6 Ton Jack Stands	15.50"	24.13"	4.00"	1.25"	10.13"	9.50"	33.44 lbs
32125B	12 Ton Jack Stands	17.75"	27.63"	4.00"	1.50"	10.75"	12.00"	59.40 lbs

* For 32066 and 32126, the pins are not to be used for supporting any loads. The pins are there to hold the ratchet bar down and prevent the bar from being in the raised position.

* Rated capacity for all jack stands are rated to be used in matching pairs.
** Excluding: 32065B and 32125B

DUAL LOCKING JACK STANDS

3 Ton Dual Locking Jack Stands



Model	Description	Height (Min / Max)		Saddle Size (L x H)		Dimension (L x W)		Weight (Pair)
32038	3 Ton Dual Locking Jack Stands	11.38"	16.75"	3.00"	1.00"	7.63"	6.88"	13.90 lbs
32068	6 Ton Dual Locking Jack Stands	16.00"	23.50"	3.75"	1.00"	10.50"	8.88"	27.50 lbs
32128	12 Ton Dual Locking Jack Stands	19.63"	29.88"	5.13"	1.75"	12.38"	12.50"	42.10 lbs

HEAVY DUTY PIN STYLE JACK STANDS

10 Ton Pin Style Jack Stands



10 Ton High Lift Jack Stands



22 Ton Pin Style Jack Stands




7 Ton Forklift Jack Stands



Model	Description	Height (Min / Max)		Saddle Size (L x H)		Dimension (L x W)		Weight (Pair)
32105B	10 Ton Pin Style Jack Stands	18.63"	31.13"	3.38"	5.00"	16.13"	15.63"	83.80 lbs
32107B	10 Ton High Lift Jack Stands	28.00"	47.63"	3.38"	5.00"	16.25"	16.25"	109.20 lbs
32225B	22 Ton Pin Style Jack Stands	12.00"	19.63"	3.13"	2.75"	9.88"	9.88"	65.56 lbs
32075B	7 Ton Forklift Jack Stands	9.50"	14.25"	3.50"	2.38"	8.50"	8.50"	21.65 lbs

UTILITY STANDS & AIR JACK



Model	Description	Height (Min / Max)		Saddle Size (L x H)		Base Dimensions	Weight
31500	1,500 lbs Under Hoist Stand	55.00"	80.00"	5.25"	1.50"	12" Diameter Base	33.00 lbs
31501	1,500 lbs Under Hoist Stand w/ Foot Pedal	55.00"	80.00"	5.25"	1.50"	12" Diameter Base	39.38 lbs
33020	2 Ton Under Hoist Tripod Stand	67.00"	76.75"	5.25"	1.50"	23.00" 18.00"	53.24 lbs
34100	10 Ton Air Jack w/ Support Stand	17.50"	51.13"	4.00"	4.00"	22.00" 12.00"	189.20 lbs

AXLE JACKS

22 Ton Axle Jack

22 Ton Low Profile Axle Jack

22 Ton Air Return Axle Jack



Model	Description	Height (Min / Max)		Extension Screw	Handle Length	Dimension (L x W)	Weight
23221C	22 Ton Air/Hyd Axle Jack	10.00"	18.50"	3.88"	47.38"	22.00" 13.00"	99.44 lbs
23222C	22 Ton Low Profile Air/Hyd Axle Jack	8.50"	17.00"	3.88"	47.38"	18.50" 12.50"	97.00 lbs
23226	22 Ton Air Return Axle Jack	9.88"	15.00"	4.00"	46.50"	20.00" 13.25"	111.00 lbs

AXLE JACKS

22 Ton Axle Jack & 1" Air Impact Combo

25 Ton Axle Jack

22/35 Ton Two Stage Axle Jack



Model	Description	Height (Min / Max)		Ext Screw	Handle Length	Dimension (L x W)		Weight
23221CIMPACT*	22 Ton Axle Jack/1" Air Impact Combo	10.00"	18.50"	3.88"	47.38"	22.00"	13.00"	99.44 lbs
23225	25 Ton Air/Hyd Axle Jack	9.25"	17.13"	-	47.38"	22.00"	15.00"	153.00 lbs
23227	22/35 Ton 2-Stage Air/Hyd Axle Jack	9.75"	19.25"	3.75"	40.88"	21.63"	12.75"	114.84 lbs

AXLE JACKS

30 Ton Air/Hyd Axle Jack

50 Ton Air/Hyd Axle Jack

100 Ton Air/Hyd Axle Jack




Model	Description	Height (Min / Max)		Handle Length	Dimension (L x W)		Weight
23301C	30 Ton Air/Hyd Axle Jack	11.50"	18.25"	40.88"	21.75"	12.75"	104.50 lbs
23501	50 Ton Air/Hyd Axle Jack	12.00"	19.00"	40.88"	22.88"	13.75"	174.24 lbs
23991	100 Ton Air/Hyd Axle Jack	12.00"	18.13"	40.88"	26.00"	15.75"	262.90 lbs

TRANSMISSION JACKS

1,000 lbs Manual Telescopic Transmission Jack

700 lbs Economy Transmission Jack

1,000 lbs Air/Manual Telescopic Transmission Jack



Model	Description	Height (Min / Max)		Saddle Base		Extended Saddle		Dimension (L x W)		Weight
40700	700 lbs Economy Transmission Jack	57.25"	76.38"	9.88"	9.88"	18.88"	18.88"	36.13"	32.63"	137.28 lbs
41000C	1,000 lbs Manual Telescopic Transmission Jack	39.88"	77.25"	11.50"	11.50"	21.00"	21.00"	33.13"	35.50"	161.00 lbs
41001C	1,000 lbs Air/Manual Telescopic Transmission Jack	39.88"	77.25"	11.50"	11.50"	21.00"	21.00"	33.13"	35.50"	171.00 lbs
40080	Fuel Tank Adapter	Designed to fit onto Telescopic Transmission Jacks								55.00 lbs

ASME
PASE 2014


* Excluding: 40080

TRANSMISSION JACKS

2,000 lbs Air/Manual Telescopic Transmission Jack

1,000 lbs Manual Telescopic Transmission Jack

2,000 lbs Manual Telescopic Transmission Jack




Model	Description	Height (Min / Max)		Saddle Base		Extended Saddle		Dimension (L x W)		Weight
41003	1,000 lbs Manual Telescopic Transmission Jack	36.25"	73.00"	9.88"	9.88"	20.25"	20.25"	36.50"	34.00"	145.20 lbs
42001	2,000 lbs Air/Manual Telescopic Transmission Jack	46.00"	74.75"	13.00"	13.00"	24.50"	19.00"	42.00"	39.75"	316.36 lbs
42003	2,000 lbs Manual Telescopic Transmission Jack	46.00"	74.75"	13.00"	13.00"	24.50"	19.00"	42.00"	39.75"	294.36 lbs

ASME
PASE 2014


TRANSMISSION JACKS

Floor Style Transmission Jacks



Model	Description	Height (Min / Max)		Handle Length	Saddle Base		Extended Saddle		Dimension (L x W)		Weight
41100C	1100 lbs Floor Style Trans Jack	8.50"	24.75"	22.50"	12.63"	7.88"	17.00"	9.38"	28.31"	15.00"	92.00 lbs
42000C	2000 lbs Floor Style Trans Jack	7.75"	33.00"	22.50"	14.25"	7.88"	17.00"	15.50"	40.50"	18.50"	199.98 lbs
43000	3000 lbs Floor Style Trans Jack	7.83"	37.25"	29.75"	16.13"	10.75"	16.13"	26.88"	46.00"	26.00"	376.20 lbs

CLUTCH JACK/ ACCESSORIES



Model	Description	Height (Min / Max)		Shaft Diameter	Spline Diameter		Dimension (L x W)		Weight
40500	500 lbs Clutch Jack	16.50"	42.00"	1.00"	1.75"	2.00"	44.50"	22.50"	159.50 lbs
40501	250 lbs Flywheel Adapter	Designed to Fit onto Clutch Jack (40500)							12.10 lbs

ENGINE STANDS

Foldable Rotating Head Engine Stand




H-Type Engine Stand



U-Type Engine Stand




Oil Drain Pan




Model	Description	Base Size (L x W x H)			Head Plate Dimensions (L x H x Thickness)			Wheel Dia	Weight
30750	750 lbs Engine Stand (H-Type)	31.50"	31.50"	36.75"	10.00"	6.00"	0.38"	3.00"	55.88 lbs
31250	1,250 lbs Engine Stand (U-Type)	33.38"	33.83"	42.75"	7.50" - 10.50"	6.50"	0.63"	3.50"	86.46 lbs
31256*	1,250 lbs Rotating Head Engine Stand	41.75"	23.63"	42.75"	7.50" - 10.50"	6.50"	0.63"	3.50"	114.40 lbs
92510	Oil Drain Pan w/ Strap Kit	Can Attach to All Models of Engine Stands (30750, 31250, or 31256)							

* 31256 - 1250 lbs Rotating Head Engine Stand folds up to save on storage space

ENGINE CRANE/ ACCESSORIES



Engine Transverse Bar



Engine Crane

Load Leveler



Model	Description	Capacity	Hook Height		Base Length	Base Width		Height	Wheel Dia	Weight
			Min	Max		Front	Rear			
44020	Engine Crane	2 Ton	18.13"	69.13"	61.75"	31.50"	27.38"	54.00"	3.50"	266.00 lbs
		1.5 Ton	13.38"	75.00"	-	-	-			
		1 Ton	9.25"	80.50"	94.50"	39.00"	47.38"			
		0.5 Ton	4.13"	86.00"	-	-	-			
44700	Engine Transverse Bar	700 lbs	Hook Thread Length: 12.50"			38.00"	61.00"	-	-	26.40 lbs
90153	Load Leveler	1,500 lbs	10.00	12.50"	18.00"	7.63"		-	-	13.42 lbs

* Excluding: 44700 and 90153

LONG JACKS

1.5 - 8 Ton Long Jacks





Model	Description	Height (Min / Max)		Base Size (L x W)		Weight
44915	1.5 Ton Manual Long Jack	19.88"	35.25"	5.13"	4.50"	18.04 lbs
44930	3 Ton Manual Long Jack	19.88"	35.25"	5.13"	4.50"	18.04 lbs
44940	4 Ton Manual Long Jack	19.88"	35.25"	5.13"	4.50"	18.04 lbs
44980	8 Ton Manual Long Jack	24.13"	43.25"	5.00"	4.75"	31.46 lbs
44981C	8 Ton Air/Hydraulic Long Jack	24.13"	43.25"	7.13"	5.00"	38.72 lbs

DOLLIES & BRAKE DRUM HANDLERS

Wheel Dollies



3-In-1 Car Dolly



Break Drum Handler



Model	Description	Lift Height (Min / Max)		Tilt Range	Base Size (L x W x H)			Weight
46000	1,500 lbs Break Drum Handler	10.38"	15.00"	-	61.38"	19.63"	17.63"	59.40 lbs
47020*	3-In-1 1 Ton Car Dolly Set	7.00"	13.88"	-	20.00"	13.88"	13.88"	79.20 lbs
47050C	1,500 lbs Wheel Dolly	2.50"	8.38"	-2° - 5°	45.13"	39.50"	34.88"	222.00 lbs
47053	1,500 lbs Wheel Dolly	2.25"	11.00"	-2° - 5°	43.50"	43.00"	34.88"	159.00 lbs
92030	300 lbs Wheel Dolly	-	-	-	48.00"	27.50"	17.50"	19.15 lbs

* The 47020 is sold in pairs of two. Each dolly has a individual dolly has a rated capacity of 2,000 Lbs per unit in all three of the dolly configurations.

BODY REPAIR KITS

10 Ton Body Repair Kit



4 Ton Body Repair Kit

Model	Description	Pump Capacity	Ram Height		Effective Ram Area	Weight
			Closed	Extended		
50040	4 Ton Body Repair Kit	8,000 PSI	10.75"	15.63"	1.00 in ²	47.08 lbs
50100	10 Ton Body Repair Kit	10,000 PSI	13.75"	19.75"	2.40 in ²	83.60 lbs

TREADLE PUMPS & CYLINDER KIT

122 in³ Treadle Pump



91 in³ Treadle Pump



231 in³ Treadle Pump



10 Ton Low Profile Cylinder Kit




Model	Description		Reservoir Size	Capacity		Base Size (L x W x H)			Weight
22903	Treadle Pump		91.50 in³	10,000 PSI		9.75"	4.63"	7.50"	18.92 lbs
22905	Treadle Pump		122.00 in³	10,000 PSI		11.50"	6.00"	8.00"	22.00 lbs
22907	Treadle Pump		231.00 in³	10,000 PSI		13.50"	8.00"	7.25"	28.16 lbs

Model	Description	Stroke	Effective Area	Oil Capacity	Height (Col/Ext)		Internal PSI*	Cylinder Housing Dia	Ram Plunger Dia	Weight
72101	10 Ton Low Profile Cylinder Kit	1.50"	2.35"	3.53 in³	3.88"	5.25"	8,511 PSI	2.75"	1.50"	9.10 lbs

* Rated Internal Pressure is measured at maximum capacity.

SHOP EQUIPMENT

Bead Breaker



22910

Bead Breaker Combo



22953

Forklift Jack



28045

Oil Drain




89001

Model	Description	Lift Height (Min / Max)		Base Size (L x W x H)			Weight
22910	5 Ton Portable Bead Breaker	-	-	18.00"	5.50"	13.00"	33.00 lbs
22953	5 Ton Bead Breaker Combo Kit	-	-	18.00"	5.50"	13.00"	63.00 lbs
28045	4 Ton Forklift Jack	3.00"	17.50"	32.00"	10.25"	17.00"	90.86 lbs
89001	8 Gallon Oil Drain	-	-	17.00"	17.00"	48.25" - 62.00"	10.00 lbs


TRUCK RAMPS & SERVICE TRAY

Truck Ramps



93200

Rolling Service Tray



97531

93201

Model	Description	Max Tire Width		Handle Length	Base Size (L x W x H)			Weight		
93200	20 Ton Truck Ramps	11.25"		33.75"	45.00"	13.50"	9.38"	267.00 lbs		
93201	20 Ton Wide Truck Ramps	16.00"		33.75"	45.00"	18.00"	9.38"	334.00 lbs		
Model	Description	Height (Min/Max)		Tray Size (L x W x H)			Base Size (L x W x H)			Weight
97531	100 lbs Rolling Auto Service Tray	34.50"	47.64"	20.00"	29.25"	2.75"	29.00"	20.00"	34.45"	41.80 lbs


* Excluding: 97531

SHOP PRESSES/
ACCESSORIES

12 Ton Shop Press



20 Ton Shop Press



Model	Description	Working Space (Min / Max)		Hydraulic Stroke	Bed Position	Base Size (L x W x H)			Weight
60120	12 Ton Shop Press	2.63"	34.38"	6.00"	8	22.75"	18.50"	59.00"	127.60 lbs
60127	12 Ton Shop Press Acc Kit	Designed for use with 12 Ton Shop Press (60127)							24.66 lbs
60200	20 Ton Shop Press	2.50"	34.13"	6.00"	8	28.00"	28.00"	64.50"	277.20 lbs
60207	20 Ton Shop Press Acc Kit	Designed for use with 20 Ton Shop Press (60207)							24.90 lbs

SHOP PRESSES/
ACCESSORIES

25 Ton Shop Press



Model	Description	Working Space (Min / Max)		Hydraulic Stroke	Bed Position	Base Size (L x W x H)			Weight
60253	25 Ton Shop Press	4.63"	36.38"	6.00"	8	28.00"	28.00"	59.00"	293.70 lbs
60257	Shop Press Acc Kit	Accessories Designed for use with 25 Ton Shop Press (60253)							25.63 lbs
T125-90009-K01	25 Ton Arbor Plates	Accessory Designed for use with 25 Ton Shop Press (60253)							16.34 lbs

Z-CREEPERS

2-in-1 Z Creeper



3-in-1 Low Profile Z-Creeper



Model	Description	Capacity	Seat Height	Dimensions (Flat) (L x W x H)			Weight
91000	2-in-1 Z Creeper	450.00 lbs	19.75"	40.00"	18.00"	7.50"	25.74 lbs
91452	3-in-1 Low Profile Z-Creeper	450.00 lbs	18.00"	41.50"	27.00"	5.00"	27.06 lbs

BLOW-MOLDED CREEPERS



Model	Description	Capacity	Dimensions (Flat) (L x W)		Weight
91900	36" Plastic Creeper	300.00 lbs	36.25"	16.25"	9.70 lbs
91901	40" Plastic Creeper w/ Tool Tray	350.00 lbs	40.00"	19.00"	13.40 lbs
91902	48" Plastic Creeper w/ Tool Tray	440.00 lbs	47.00"	23.75"	17.20 lbs

CREEPERS & SHOP STOOLS


Low-Profile Creeper



2-in-1 Seat/Stool



Toolbox Shop Seat



Model	Description	Capacity	Dimensions (L x W x H)			Weight
91305	2-in1 Shop Stool	350.00 lbs - Seat 400.00 lbs - Stool	14.00"	9.50"	-	21.20 lbs
91400	40" Low Profile Creeper	400.00 lbs	40.00"	26.00"	4.50"	25.30 lbs
92450	Mechanic's Toolbox Shop Seat	450.00 lbs	18.25"	14.13"	18.88"	29.70 lbs

WHEEL ARM

Wheel Arm™



Wheel Arm™ Product Video

www.youtube.com/watch?v=smreBVfINYA

Model	Description	Capacity	Dimensions (L x W x H)			Weight
92100	Wheel Arm™	100.00 lbs	8.00"	6.80"	17.00"	17.80 lbs





OMEGA *Pro*


Chapter Table of Contents

- 46 Torque Wrenches
- 46 Preset Torque Wrench Set
- 47 Compact Air Impact Wrench
- 47 Heavy Duty Air Impact Wrench with Case
- 48 Omega Pro Tool Cart
- 48 95 Piece Drive Metric Socket Set
- 49 3-Fold EVA Pad with LED Light Strip
- 49 EVA Knee Pad
- 49 Mini Digital Tire Inflator
- 49 Digital Tire Inflator

Omega Pro feature unique tools and equipment to help fulfill your shops needs. Air Tools, Tool Carts, etc available to help meet all product needs within a shop. All Omega Pro Equipment offers a one year manufacturer warranty, please see warranty section for added information.

TORQUE WRENCHES

Torque Wrenches



Preset Torque Wrench Set




Model	Description	Torque Range (Ft-Lbs) (Min/Max)		Weight
83013	½" Drive Adjustable Torque Wrench 30-250 ft-lbs	30	250	6.90 lbs
83031	¾" Drive Heavy Duty Torque Wrench	74	738	18.70 lbs
83012	5-Pc ½" Drive Preset Torque Wrench Set	65	140	19.05 lbs

AIR IMPACT WRENCHES

½" Drive Mini Light Weight Air Impact Wrench



1" Drive Heavy Duty Air Impact Wrench with Blow-Mold Case



Model	Description	Max Torque (Ft-Lbs)	Weight
82001	½" Drive Mini Light Weight Air Impact Wrench	500.00	3.52 lbs
82004	1" Drive Heavy Duty Air Impact Wrench	2,065.00	35.70 lbs
82004B	1" Drive Heavy Duty Air Impact Wrench (w/ Case)	2,065.00	40.80 lbs

TOOL CART & SOCKET SET

350 lbs Capacity Tool Cart




95 PC 1/4" & 3/8" Drive Metric Socket Set



Model	Description	Weight
97431	Tool Cart, 350 lbs Capacity	67.10 lbs
83028	95 PC 1/4" & 3/8" Drive Metric Socket Set	10.42 lbs

EVA PADS & TIRE INFLATORS

3-Fold EVA Pad With 21 LED Light




EVA Knee Pad



Digital Tire Inflator

Mini Digital Tire Inflator



Model	Description	Reads Pressure Up To	Weight
83014	Digital Tire Inflator	160 PSI	1.78 lbs
83016	Mini Digital Tire Inflator	160 PSI	1.98 lbs
85001	3-Fold EVA Pad With 21 LED Light	-	3.75 lbs
85002	EVA Knee Pad	-	0.45 lbs